L Number	Hits	Search Text	DB	Time stamp
-	160	711/164.ccls. and security	USPAT;	2004/04/02 18:10
			US-PGPUB	
-	54	711/164.ccls. and security near3 (key pass code encrypt\$3)	USPAT;	2004/04/02 18:10
			US-PGPUB	
-	1330	usb with drive	USPAT;	2004/04/02 18:10
			US-PGPUB	
-	71	trek.as.	USPAT;	2004/04/02 18:10
			US-PGPUB	
-	0	trek.as. and 711.clas.	USPAT;	2004/04/02 18:10
l			US-PGPUB	
-	168880	711/164.ccls. flash	USPAT;	2004/04/02 18:11
		744/464 cale and Goals	US-PGPUB	2004/04/02 40:44
-	57	711/164.ccls. and flash	USPAT;	2004/04/02 18:11
	40	(711/164 cele and flesh) not (711/164 cele and ush)	US-PGPUB	2004/04/02 10:11
-	49	(711/164.ccls. and flash) not (711/164.ccls. and usb)	USPAT; US-PGPUB	2004/04/02 18:11
	99	(713/202.ccls.) and html	USPAT;	2004/04/02 18:11
- I	22		US-PGPUB	2004/04/02 10.11
_	252	authenticat\$3 with html	USPAT;	2004/04/02 18:11
-	232	addiciticacps with fittin	US-PGPUB	2004/04/02 10.11
_	0	(authenticat\$3 with html and flash) and 710.clas.	USPAT;	2004/04/02 18:11
	Ū	(dudicincula) Wal ham and hash) and 710.clas.	US-PGPUB	2001/01/02 10:11
_	1935	html and usb	USPAT;	2004/04/02 18:11
	1333		US-PGPUB	200 1, 0 1, 02 10:11
-	2287	html same platform	USPAT;	2004/04/02 18:11
	220,	nam same placerin	US-PGPUB	200 1, 0 1, 02 20.22
-	1168	html with platform	USPAT;	2004/04/02 18:11
			US-PGPUB	
-	526	html with (advantage benefit)	USPAT;	2004/04/02 18:11
			US-PGPUB	
-	0	html with (advantage benefit) and 710,713.clas.	USPAT;	2004/04/02 18:11
			US-PGPUB	
-	176	713/202,168.ccls. and html	USPAT;	2004/04/02 18:11
			US-PGPUB	
-	354	flash with usb and (security password passkey "pass key"	USPAT;	2004/04/02 18:11
		code key code "pass word" secret)	US-PGPUB	•
-	102	713/200.ccls. and usb and flash	USPAT;	2004/04/02 18:11
	_		US-PGPUB	
-	35	thumbdrive thumb adj drive	USPAT;	2004/04/02 18:11
			US-PGPUB	
-	292	html near3 (security authenticat\$3 password encrypt\$3)	USPAT;	2004/04/02 18:11
	100	Library and Consumbly with anti-orbital and an analysis to the	US-PGPUB	2004/04/02 40:44
•	198	html near2 (security authenticat\$3 password encrypt\$3)	USPAT;	2004/04/02 18:11
	810	html with "well known"	US-PGPUB	2004/04/02 19:11
_	010	HUR WILL WEI NIOWII	USPAT; US-PGPUB	2004/04/02 18:11
_	2313	screen with html	USPAT;	2004/04/02 18:11
-	2313	Succi will fillin	US-PGPUB	2007/07/02 10:11
_	2287	html same (platform)	USPAT;	2004/04/02 18:11
	2207	Halli Saine (placionn)	US-PGPUB	2004/04/02 10.11
_	. 1168	html with (platform)	USPAT;	2004/04/02 18:11
	, 1100	Hall Wat (placetry)	US-PGPUB	200 1/0 1/02 10.11
_	682	html with (platform) and security	USPAT;	2004/04/02 18:11
	002	The trial (place of the occurre)	US-PGPUB	-55 1,5 1,52 15.11
	595	html with (platform) and security and (password pass adj	USPAT;	2004/04/02 18:11
	333	code pass adj key key access adj key access adj code code	US-PGPUB	
		adj word)		
-	413	(html with (platform) and security and (password pass adj	USPAT;	2004/04/02 18:11
		code pass adj key key access adj key access adj code code	US-PGPUB	
		adj word)) and @ay>1999		
	307	flash with IDE!	USPAT;	2004/04/02 18:11
- 1	307	114311 11141 126.	00,711,	1 200 1/0 1/02 10.11

Search History 4/2/04 9:18:12 PM Page 1

US-FGPUB IBM_TDB IBM					
20 (compact add flash) same security (rear3 (key pass code encrypt\$3) USPAT; US-PGPUB (USPAT; US-PGPUB USPAT;	•	124	(711.clas. 713/200-202.ccls.) and flash same IDE		2004/04/02 18:11
20 /11/164.ccts. and security near3 (key pass code encrypt\$3) and flash authenticat\$3 with html and flash authenticat\$3 with html and flash and fl	_		(compact adi flash) same security		2004/04/02 19:11
		1	711/164 cele and security near? (key nace code ones the?)	_	
204/04/02 18:11	-	20			2004/04/02 16:11
U.S-PGPUB U.S-					2004/04/20 := :
10	-	4	711/164.ccis. and html		2004/04/02 18:11
45 lexar.as. US-P.GPUB USPAT, US-P.GPUB 2004/04/02 18:11 USPAT, US-P.GPUB U				US-PGPUB	•
45 lexar.as. US-PGPUB USPAT, US-PGPUB 2004/04/02 18:11 USPAT, US-PGPUB	-	10	711/164.ccls. and usb	USPAT;	2004/04/02 18:11
Sexar.as. 199			·	US-PGPUB	
Security	_	45	lexar as:		2004/04/02 18:11
49 usb with drive same (passcode password pass adj word pass adj code pass adj key passkey key)			Total lab.		200 1/0 1/02 10:11
adj code pass adj key passkey key) 711/163.ccts. and USB! 711/163.ccts. and USB! 1 jumpdrive 1 ((711/164.ccts. and flash) not (711/164.ccts. and usb)) not (711/164.ccts. and flash) not (711/164.ccts. and usb)) not (711/164.ccts. and security) 1 ((711/164.ccts. and flash) not (711/164.ccts. and usb)) not (711/164.ccts. and security) 2 (711/163,164,111,103.ccts. 710/74.ccts.) and html 2 USPAT; 2 USPAT; 2 USPAT; 2 USPAT; 2 USPAT; 2 USPAT; 3 USPAT; 4 USPAT; 5 USPAT; 5 USPAT; 5 USPAT; 6 U		40	ush with drive same (nassende nassword nass adi word nass		2004/04/02 19:11
1	_	77			2004/04/02 16.11
1					
1 jumpdrive	-	40	/11/163.ccis. and USB!		2004/04/02 18:11
14					
14	-	1	jumpdrive	USPAT;	2004/04/02 18:11
14					
C111/164,ctcls, and security (711/163,164,111,103.cts. 710/74.cts.) and html USPAT; US-PGPUB U	_	14	((711/164 ccls, and flash) not (711/164 ccls, and usb)) not	1	2004/04/02 18:11
C711/163,164,111,103.ccis. 710/74.ccis.) and html					200 1/0 1/02 10:11
US-PGPUB USPAT; US-PGPUB USP		24			2004/04/02 40:44
15	-	21	(/11/103,104,111,103.CCIS. /10//4.CCIS.) and ntml		200 4 /04/02 18:11
S-PGPUB USPAT; US-PGPUB				1	
- 99 (713/202.ccls.) and html USPAT; US-PGPUB USPAT; US	-	15	(713/202.ccls.) and html and flash	USPAT;	2004/04/02 18:11
- 45 authenticat\$3 with html and flash - 1 (authenticat\$3 with html and flash) and 711.clas 1 (authenticat\$3 with html and flash) and 711.clas 17 html and usb and 711.clas 18 html and usb and 711.clas 19 html same windows same mac - 100 html with platform same (password "pass word" passcode "pass code" key passkey "pass key" code) html with (advantage benefit) and ("710" "713").clas 17 html with (advantage benefit) and ("710" "713").clas 18 html with (advantage benefit) and ("710" "713").clas 19 html with (advantage benefit) and ("710" "713").clas 19 pen adj drive - 160 pen adj drive - 173/202,168.ccls. and html with (advantage benefit) - 18 html usb same (security password passkey "pass key" uspagus benefit) - 19 flash with usb same (security password passkey "pass key" uspagus benefit) - 25 (security adj (code program feature instruction authentication)) with html - 19 html near2 (security authenticat\$3 password encrypt\$3) and (ay>1990 html with "well known" and security - 19 screen with html with (key password) - 24 (html with "well known") same security - 2004/04/02 18:11 - 2004/04/02 18:12				US-PGPUB	
- 45 authenticat\$3 with html and flash - 1 (authenticat\$3 with html and flash) and 711.clas 1 (authenticat\$3 with html and flash) and 711.clas 17 html and usb and 711.clas 18 html and usb and 711.clas 19 html same windows same mac - 100 html with platform same (password "pass word" passcode "pass code" key passkey "pass key" code) html with (advantage benefit) and ("710" "713").clas 17 html with (advantage benefit) and ("710" "713").clas 18 html with (advantage benefit) and ("710" "713").clas 19 html with (advantage benefit) and ("710" "713").clas 19 pen adj drive - 160 pen adj drive - 173/202,168.ccls. and html with (advantage benefit) - 18 html usb same (security password passkey "pass key" uspagus benefit) - 19 flash with usb same (security password passkey "pass key" uspagus benefit) - 25 (security adj (code program feature instruction authentication)) with html - 19 html near2 (security authenticat\$3 password encrypt\$3) and (ay>1990 html with "well known" and security - 19 screen with html with (key password) - 24 (html with "well known") same security - 2004/04/02 18:11 - 2004/04/02 18:12	-	99	(713/202.ccls.) and html	USPAT:	2004/04/02 18:11
- 45 authenticat\$3 with html and flash - 1 (authenticat\$3 with html and flash) and 711.clas 1 (authenticat\$1 with lash and 711.clas 2			(**************************************		
Cauthenticat\$3 with html and flash) and 711.clas.	_	45	authenticate3 with html and flach		2004/04/02 18:11
- 1		7.5	addiciticacpo with Italii alid flasii		2004/04/02 18.11
- 17 html and usb and 711.clas. US-PGPUB USPAT; US-PGPUB US-P					
- 17 html and usb and 711.clas. USPAT; US-PGPUB thml same windows same mac USPAT; US-PGPUB US	-	1	(authenticat\$3 with html and flash) and /11.clas.		2004/04/02 18:11
- 40 html same windows same mac 120 html with platform same (password "pass word" passcode "pass code" key passkey "pass key" code) html with (advantage benefit) and 711.clas. 15 html with (advantage benefit) and 711.clas. 17 html with (advantage benefit) and ("710" "713").clas. 18				US-PGPUB	
- 40 html same windows same mac 120 html with platform same (password "pass word" passcode	-	17	html and usb and 711.clas.	USPAT;	2004/04/02 18:11
- 40 html same windows same mac 120 html with platform same (password "pass word" passcode					
120	_	40	html same windows same mac		2004/04/02 18:11
120			Thank same white was		200 1/0 1/02 10:11
"pass code" key passkey "pass key" code		120	html with platform came (password "pass word" passende		2004/04/02 19:11
15	-	120			2004/04/02 16:11
17					
17	-	15	html with (advantage benefit) and 711.clas.		2004/04/02 18:11
- 3 713/202,168.ccls. and html with (advantage benefit) US-PGPUB USPAT; US-PGPUB US				US-PGPUB	
- 3 713/202,168.ccls. and html with (advantage benefit) US-PGPUB USPAT; US-PGPUB US	-	17	html with (advantage benefit) and ("710" "713").clas.	USPAT;	2004/04/02 18:11
3 713/202,168.ccls. and html with (advantage benefit)					
- 160 pen adj drive US-PGPUB USPAT; US-PGPUB	-	વ	713/202.168.ccls. and html with (advantage benefit)	l -	2004/04/02 18:11
- 160 pen adj drive USPAT; US-PGPUB USPAT; US-		,	, , 10, 202, 100,000, and ham man (advantage benefit)		200 1/07/02 10.11
- 176 713/202,168.ccls. and html US-PGPUB USPAT; US-PGPUB U		100	non adi deivo		2004/04/02 40 44
- 176 713/202,168.ccls. and html USPAT; US-PGPUB US-PGPU	-	160	pen auj urive		2004/04/02 18:11
- 3 usb adj flash adj drive - 73 flash with usb same (security password passkey "pass key" uspart; us-pgpub uspart us					
- 3 usb adj flash adj drive USPAT; US-PGPUB	-	176	713/202,168.ccls. and html	USPAT;	2004/04/02 18:11
- 3 usb adj flash adj drive USPAT; US-PGPUB				US-PGPUB	
- 73 flash with usb same (security password passkey "pass key" code key code "pass word" secret) - 13 713/200.ccls. and usb same flash - 25 (security adj (code program feature instruction authentication)) with html - 36 711/163,164,154,103,111.ccls. and html - 149 html near2 (security authenticat\$3 password encrypt\$3) and @ay>1998 html with "well known" and security - 90 screen with html with (key password) - 24 (html with "well known") same security - 15 US-PGPUB - 16 USPAT; US-PGPUB - 17 US-PGPUB - 18 USPAT; US-PGPUB - 18 USPAT; US-PGPUB - 19 USPAT; US-PGPUB	-	3	usb adj flash adj drive		2004/04/02 18:11
Table Tabl			,		
Code key code "pass word" secret)	<u> </u>	72	flach with ush same (security password passkoy "pass key"	ā .	2004/04/02 10:11
- 13 713/200.ccls. and usb same flash USPAT; US-PGPUB US-PGPUB USPAT; US-PGPUB US-PG	-	/3			2007/07/02 10:11
- 25 (security adj (code program feature instruction authentication)) with html - 36 711/163,164,154,103,111.ccls. and html - 149 html near2 (security authenticat\$3 password encrypt\$3) and @ay>1998 - 339 html with "well known" and security - 90 screen with html with (key password) - 24 (html with "well known") same security - 2004/04/02 18:12 - 2004/04/02 18:12 - 2004/04/02 18:12 - 2004/04/02 18:12					2004/04/20 := :
- 25 (security adj (code program feature instruction authentication)) with html - 36 711/163,164,154,103,111.ccls. and html - 149 html near2 (security authenticat\$3 password encrypt\$3) and @ay>1998 - 339 html with "well known" and security - 90 screen with html with (key password) - 24 (html with "well known") same security - 2004/04/02 18:11 - 2004/04/02 18:11 - 2004/04/02 18:12 - 2004/04/02 18:12 - 2004/04/02 18:12 - 2004/04/02 18:12	-	13	/13/200.ccis. and usb same flash		2004/04/02 18:11
authentication)) with html - 36 711/163,164,154,103,111.ccls. and html - 149 html near2 (security authenticat\$3 password encrypt\$3) and @ay>1998 - 339 html with "well known" and security - 90 screen with html with (key password) - 24 (html with "well known") same security US-PGPUB USPAT; US-PGPUB				US-PGPUB	
authentication)) with html - 36 711/163,164,154,103,111.ccls. and html - 149 html near2 (security authenticat\$3 password encrypt\$3) and @ay>1998 - 339 html with "well known" and security - 90 screen with html with (key password) - 24 (html with "well known") same security US-PGPUB USPAT; US-PGPUB	-	25	(security adj (code program feature instruction	USPAT;	2004/04/02 18:11
- 36 711/163,164,154,103,111.ccls. and html USPAT; US-PGPUB US-PGPUB USPAT; US-PGPUB					
- 149 html near2 (security authenticat\$3 password encrypt\$3) and @ay>1998 html with "well known" and security USPAT; US-PGPUB	_	36			2004/04/02 18:11
- 149 html near2 (security authenticat\$3 password encrypt\$3) and		30			200 1/07/02 10.11
- 339 html with "well known" and security US-PGPUB US-PGPUB - 90 screen with html with (key password) USPAT; US-PGPUB - 24 (html with "well known") same security USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB		140	html noon2 (consuits, nothanticate)		2004/04/02 40 44
- 339 html with "well known" and security US-PGPUB US-PGPUB Screen with html with (key password) USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	-	149			2004/04/02 18:11
- 90 screen with html with (key password) US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB					
- 90 screen with html with (key password) US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	-	339	html with "well known" and security	USPAT;	2004/04/02 18:12
- 90 screen with html with (key password) USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB				US-PGPUB	
- 24 (html with "well known") same security US-PGPUB USPAT; US-PGPUB US-PGPUB	_	90	screen with html with (key password)		2004/04/02 18:12
- 24 (html with "well known") same security USPAT; 2004/04/02 18:12 US-PGPUB				,	-30 ,, 0 ,, 02 10.12
US-PGPUB US-PGPUB	_	24	(html with "well known") came security		2004/04/02 10:12
		ا ۲۶	Chain mai well allowit) saine security		2007/07/02 10:12
Search History 4/2/04 9:18:12 PM Page 2	C 1 1:::	4.5.5	L	02-4940R	<u> </u>

-	38	flash with IDE! and 711.clas.	USPAT;	2004/04/02 18:12
			US-PGPUB	
-	38	711/163,164.ccls. and IDE!	USPAT;	2004/04/02 18:12
			US-PGPUB	
-	2	711/163,164.ccls. and compact adj flash	USPAT;	2004/04/02 18:12
1			US-PGPUB	
-	11	(711.clas. 713/200-202.ccls.) and compact adj flash same	USPAT;	2004/04/02 18:12
		IDE	US-PGPUB	
-	6	microdrive	IBM_TDB	2004/04/02 18:12
-	49	(compact adj flash) same security	USPAT;	2004/04/02 18:12
			US-PGPUB	
-	1	713/200,202.ccls. and (security adj program) with (partial	USPAT;	2004/04/02 18:12
		some portion division divide\$1) same (micro-controller	US-PGPUB	
		microcontroller flash adj memory)		
-	6	713/200,202.ccls. and (security) with (partial some portion	USPAT;	2004/04/02 18:12
		division divide\$1) same (micro-controller microcontroller	US-PGPUB	
		flash adj memory)		
-	320	I?? and mathers.in.	USPAT;	2004/04/02 18:14
			US-PGPUB	
-	87	713/200,202.ccls. and (partial some portion division	USPAT;	2004/04/02 19:52
		divide\$1) same (micro-controller microcontroller flash adj	US-PGPUB	
l		memory)		
-	6	803290.ap.	USPAT;	2004/04/02 19:55
			US-PGPUB	
-	0	898365.pn.	USPAT;	2004/04/02 19:56
			US-PGPUB	
-	4	898365.ap.	USPAT;	2004/04/02 20:00
]		US-PGPUB	
-	3	982345.ap.	USPAT;	2004/04/02 20:44
	_		US-PGPUB	
-	7	064414.ap.	USPAT;	2004/04/02 20:44
			US-PGPUB	